






KESİM VE MONTAJ ÇİZİMLERİ
CUTTING & ASSEMBLY DRAWINGS

KALDIR-SÜR MEKANİZMASI MONTAJ ŞEMASI - LS60 MEK ve MEK2 İÇİN LIFT & SLIDING MECHANISM INSTALLATION FOR LS60 MEK1 & MEK2



KANAT - KASA KÖŞE BAĞLANTI MONTAJI ASSEMBLY FOR FRAME & SASH




LS60 - 1,8mm


YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

KENET BAĞLANTI MONTAJI ASSEMBLY FOR CENTRAL LOCKING



TAKVİYE KOL BAĞLANTI MONTAJI ASSEMBLY FOR SUPPORTED HANDLE PROFILE




LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM








ASISTAL

ALT-ÜST HAVA KESİCİ MONTAJI

ASSEMBLY FOR CENTRAL SEALING- TOP & BOTTOM



4 LÜ KANAT ORTA BİRLEŞİM MONTAJI ASSEMBLY FOR 4 SASH MIDDLE SECTION







LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

4 LÜ KANAT ORTA BİRLEŞİM MONTAJI ASSEMBLY FOR 4 SASH MIDDLE SECTION







LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

DIŞTAN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH OUT FIXING MEETING STILE








LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

DIŞTAN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH OUT FIXING MEETING STILE








LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

DIŞTAN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH OUT FIXING MEETING STILE






LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

DIŞTAN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH OUT FIXING MEETING STILE







LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

İÇTEN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH INNER FIXING MEETING STILE








LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

İÇTEN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH INNER FIXING MEETING STILE








LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

İÇTEN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH INNER FIXING MEETING STILE






LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM





ASISTAL

İÇTEN SABİTLİ KASADA ORTA KANAT BİRLEŞİM MONTAJI ASSEMBLY FOR SASH INNER FIXING MEETING STILE



YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTALY






LS60 - 1,8mm

YALITIMLI KALDIR-SÜR SİSTEM
THERMAL LIFT&SLIDE SYSTEM

ASISTAL

İSPANYOLET KİLİTLEME NORMAL SÜRME İÇİN : ASI-ISP 15 MULTI POINT LOCKING FOR NORMAL SLIDING : ASI-ISP 15




ASI-ISP15.0 (400 mm LİK İSPANYOLET İÇİN)
KANAT YÜKSEKLİĞİ (sash height) < 600mm
LS60 44 = 400mm X 1 ADET
ASI-ISP K03 = 2 ADET

ASI-ISP15.1 (600 mm LİK İSPANYOLET İÇİN)
KANAT YÜKSEKLİĞİ (sash height) < 1100mm
LS60 44 = 600mm X 1 ADET
ASI-ISP K03 = 2 ADET

ASI-ISP15.2 (1000mm LİK İSPANYOLET İÇİN)
1900mm < KANAT YÜKSEKLİĞİ (sash height) > 1100mm
LS60 44 = 1000mm X 1 ADET
ASI-ISP K03 = 2 ADET


ASI-ISP15.3 (1800mm LİK İSPANYOLET İÇİN)
KANAT YÜKSEKLİĞİ (sash height) > 1900mm
LS60 44 = 1800mm X 1 ADET
ASI-ISP K03 = 3 ADET

ASI-ISP K03





ASI-WH 002


ASI-ISP K03



ASI-SR 04
150KG/RULMAN
KANAT TAŞIMA KAPASİTESİ=300kg
SASH CARRY CAPACITY = 300kg



2 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
2 SLIDING SASHES CUTTING SIZE





CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm


PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 02		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 02		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	4	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	4	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/2+11,1mm
5	2	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
6	4	11_026		DÜŞEY CAM ÇITASI / Vertical Glazing Bead	G1=SH-202mm
7	4	11_026		YATAY CAM ÇITASI / Horizontal Glazing Bead	G2=SW-158mm
PVC	2	MO60-10		KENET PVC PROFİL / Central Locking PVC Profile	SH
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FH
	2	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm

FİTİLLER / GASKETS				
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	4x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	4x(G1+G2)
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	4 x SW
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	2 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(4xSH)+(4xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(4xFH) + (2xFW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	4 x SH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)

AKSESUARLAR / ACCESSORIES				
2 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
2 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
2 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
2 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
1 Adet / Pcs	MO60-05G		ALT HAVA KESİCİ / Central Sealing - Bottom	
1 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
8 Adet / Pcs	MO60-13		KANAT DENGELME PLASTİĞİ / Sash Stabilization Spacer	
28 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
8 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
16 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Takım / Set	LS60-MEK1		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	

3 LÜ KANAT KESİM ÖLÇÜLERİ
3 SASHES CUTTING SIZE

CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm





PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 03		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 03		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	6	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	6	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/3+37,2
5	4	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
6	6	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
7	6	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
	4	MO60-10		KENET PVC PROFİL / Central Locking PVC Profile	SH
	4	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
	4	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FH
	3	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm


FİTİLLER / GASKETS				
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	6x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	6x(G1+G2)
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	6 x SW
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(4xSH)+(6xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(6xSH) + (3xFW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8 x SH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xSH)+(2xFW)

AKSESUARLAR / ACCESSORIES				
4 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
4 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
4 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
4 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
2 Adet / Pcs	MO60-05G		ALT HAVA KESİCİ / Central Sealing - Bottom	
2 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
12 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
40 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
12 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
12 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
24 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Adet / Pcs	LS60-DB3560		KANAT SABİTLEME PARÇASI / Sash Fixing	
2 Takım / Set	LS60-MEK1		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	

2'Lİ RAYDA 3 LÜ KANAT KESİM ÖLÇÜLERİ
3 SASHES CUTTING SIZE FOR DOUBLE RAIL FRAME



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm





PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 02		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 02		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	6	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	6	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/3+37mm
5	4	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42-SH
6	6	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
7	6	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
8	1	LS60 43		3'LÜ KANAT ADAPTÖR PROFİLİ / Adapter Profile	FH-84mm
PVC	3	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FH
	2	ASH-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm


FİTİLLER / GASKETS				
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	6x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	6x(G1+G2)
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	6 x SW
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	3 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(6xSH)+(6xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(4xFH) + (2xFW)
mt	INT2-02		KANAL FİTİLİ / Adapter Gasket	1xSH
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	6 x SH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	1xSH

AKSESUARLAR / ACCESSORIES				
3 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
3 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
3 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
3 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
2 Adet / Pcs	MO60-05G		ALT HAVA KESİCİ / Central Sealing - Bottom	
2 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
12 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
40 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
12 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
24 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Adet / Pcs	LS60-DB3560		KANAT SABİTLEME PARÇASI / Sash Fixing	
2 Takım / Set	LS60-MEK1		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	

4 LÜ KANAT KESİM ÖLÇÜLERİ
4 SLIDING SASHES CUTTING SIZE



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm



PROFİLLER / PROFILES



SIRA NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 04		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 04		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	8	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	8	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/4+26,6mm
5	1	LS60-41		ADAPTÖR PROFİLİ / Adapter Profile	LS60 41=SH-50mm
6	4	LS60-42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
7	8	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
8	8	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
	4	MO60-10		KENET PVC PROFİL / Central Locking PVC Profile	SH
	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	SW
	2	MO60-08		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	SH
	2	ASH-01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm

FİTİLLER / GASKETS


MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	8x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	8x(G1+G2)
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	8 x SW
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(6xSH)+(8xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(4xFH) +(2x FW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)

AKSESUARLAR / ACCESSORIES

4 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
4 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
4 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
4 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
2 Adet / Pcs	MO60-05G		ALT HAVA KESİCİ / Central Sealing - Bottom	
2 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
2 Adet / Pcs	MO60-12		ADAPTÖR KAPAĞI / Adapter Cover	
16 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
52 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
16 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
32 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Takım / Set	LS60-MEK1		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	
1 Takım / Set	LS60-MEK1D		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	

HAREKETLİ KANADI İÇERİDE OLAN MONORAIL SİSTEM
MONORAIL SYSTEM WITH SLIDING SASH INSIDE

KALDIR-SÜR SİSTEM
LIFT & SLIDE SYSTEM

CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)

KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width	FGW=FW/2-74mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height	FGH=FW/2-74mm


PROFİLLER / PROFILES

NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 04		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 04		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	2	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	2	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/2+11mm
5	1	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FW-43mm
6	1	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
7	1	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
8	1	LS60 31		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2 - 100mm
9	1	LS60 32		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2 - 100mm
10	1	LS60 31		YAN KAPAK PROFİLİ / Side Cover Profile	CH=FW - 88mm
11	2	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH - 203mm
12	2	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW - 159mm
13	2	11_026		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FW-87mm
14	2	11_026		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/2-56,5mm
	2	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
0	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
0	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm


FİTİLLER / GASKETS

MIKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	2 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(2xSH)+(2xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xSH) + FW
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	2xSW
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	4xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xSH)+(2xFW)+CH+(2 xCW)


AKSESUARLAR / ACCESSORIES

1 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
1 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
1 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
1 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
1 Adet / Pcs	MO60-05D		ALT HAVA KESİCİ / Central Sealing - Bottom	
1 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
4 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
2 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
20 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
4 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
8 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
1 Takım / Set	LS60-MEK1		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	


SABİTLİ KASADA 2 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
2 SLIDING SASH IN FIXED FRAME CUTTING SIZE



KALDIR-SÜR SİSTEM
LIFT & SLIDE SYSTEM



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width	FGW=FW-4-57mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height	FGH=SH-64mm



PROFİLLER / PROFILES

NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 04		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 04		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	4	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	4	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/4+25,4mm
5	2	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=SH-43mm
6	1	LS60 41		ADAPTÖR PROFİLİ / Adepter Profil	LS60 41=SH-50mm
7	2	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
8	2	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
9	1	LS60 31		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2-146mm
10	1	LS60 32		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2-146mm
11	4	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-203mm
12	4	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-159mm
13	4	11_026		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=SH-87mm
14	4	11_026		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/4-40mm
0	4	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
0	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
0	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm



FİTİLLER / GASKETS

MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	4x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	4x(G1+G2+G3+G4)
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	4 x SW
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(2xSH)+(4xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xSH) + FW
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xSH)+(2xFW)+(2xCW)


AKSESUARLAR / ACCESSORIES

2 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
2 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
2 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
2 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
2 Adet / Pcs	MO60-05D		ALT HAVA KESİCİ / Central Sealing - Bottom	
2 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
2 Adet / Pcs	MO60-12		ADAPTÖR KAPAĞI / Adapter Cover	
8 Adet / Pcs	MO60-13		KANAT DENGESİME PLASTİĞİ / Sash Stabilization Spacer	
4 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
32 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
8 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
16 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
1 Takım / Set	LS60-MEK1D		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	

HAREKETLİ KANADI DIŞARIDA OLAN MONORAIL SİSTEM
MONORAIL SYSTEM WITH SLIDING SASH OUTSIDE



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width	GW=SW-172,06mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172,06mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width	FGW=FW/2-115,54mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height	FGH=FH-49,86mm



PROFİLLER / PROFILES

NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 08		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 08		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	2	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67,14mm
4	2	LS60 11		YATAY KANAT PROFİLİ / Horizontal Frame Profile	SW=FW/2+56,56 mm
5	1	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FW-43mm
6	1	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
7	1	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
8	1	LS60 40		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2 - 32,23mm
9	1	LS60 40		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2 - 32,23mm
10	1	LS60 40		YAN KAPAK PROFİLİ / Side Cover Profile	CH=FW - 94,56mm
11	2	11_022		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH - 267,8mm
12	2	11_022		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW - 203,06mm
13	2	11_022		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FW-86,64mm
14	2	11_022		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/2-97,47mm
	2	MO60-10		KENET PVC PROFİL / Central Locking PVC Profile	SH
0	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
0	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-72mm



FİTİLLER / GASKETS

MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	2 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(2xSH)+(2xSW)
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xSH) + FW
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	2xSW
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	4xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xSH)+(2xFW)+CH+(2x CW)
mt	EP38-03		SABİT ÇİTA FİTİLİ / Fixed Frame Gasket	CW

AKSESUARLAR / ACCESSORIES


1 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
1 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
1 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
1 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
1 Adet / Pcs	MO60-05D		ALT HAVA KESİCİ / Central Sealing - Bottom	
1 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
4 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
2 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
20 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
4 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
8 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
1 Takım / Set	LS60-MEK1		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	

HAREKETLİ KANADI DIŞARIDA KASADA 2 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
MONORAIL SYSTEM WITH SLIDING SASH OUTSIDE
2 SLIDING SASH IN FIXED FRAME CUTTING SIZE




PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 08		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 08		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	4	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	4	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/4+77.7mm
5	2	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FH-43mm
6	1	LS60 41		ADAPTÖR PROFİLİ / Adapter Profile	LS60 41=SH-50mm
7	2	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
8	2	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
9	1	LS60 40		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2-53.12mm
10	1	LS60 40		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2-53.12mm
11	4	11_022		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
12	4	11_022		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-167.5mm
13	4	11_022		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FH-87mm
14	4	11_022		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/4-91.12mm
15	1	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	4	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASH-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-73mm
CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)					
KOD / Code	TANIMI / Description				KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width				GW=SW-177.2mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height				GH=SH-167.5mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width				FGW=FW/4 - 99.5mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height				FGH=FH-50mm

FİTİLLER / GASKETS				
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	4x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	4x(G1+G2+G3+G4)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP38-03		SABİT ÇİTA FİTİLİ / Fixed Frame Gasket	2xSH+8xSW
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xFH) + FW
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	(2xSH)+(4xSW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)+(2xCV)
AKSESUARLAR / ACCESSORIES				
2 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
2 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
2 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
2 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
4 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
2 Adet / Pcs	MO60-12		ADAPTÖR KAPAĞI / Adapter Cover	
8 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
4 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
32 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
8 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
16 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
1 Takım / Set	LS60-MEK1D		KALDIR-SÜR MEKANİZMASI / Lift&Slide Mechanism	



NORMAL SÜRME 2 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
2 SLIDING SASHES CUTTING SIZE FOR NORMAL SLIDING



NORMAL SÜRME SİSTEM
NORMAL SLIDING SYSTEM

CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES

KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm

PROFİLLER / PROFILES

NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 02		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 02		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	4	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	4	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/2+11,1mm
5	2	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
6	4	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
7	4	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
8	2	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	2	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FH
	2	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm



FİTİLLER / GASKETS

MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	4x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	4x(G1+G2)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	2 x SH
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(4x FH) + (2x FW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	4 x SH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2x FH)+(2x FW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	(4x SH)+(4x SW)


AKSESUARLAR / ACCESSORIES

2 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
2 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
2 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
2 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
2 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
8 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
28 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
8 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
16 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
4 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
2 Adet / Pcs	ASHSP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock	
6 Adet / Pcs	ASHSP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
2 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	

3 LÜ KANAT KESİM ÖLÇÜLERİ
3 SASHES CUTTING SIZE



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm



PROFİLLER / PROFILES

NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 03		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 03		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	6	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	6	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/3+37.2
5	4	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
6	6	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
7	6	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
8	2	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	4	MO60-10		KENET PVC PROFİL / Central Locking PVC Profile	SH
PVC	4	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	4	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FH
	3	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm

FİTİLLER / GASKETS



MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	6x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	6x(G1+G2)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(6x FH) + (3x FW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8 x SH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2x FH)+(2x FW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	(4XSH)+(12XSW)

AKSESUARLAR / ACCESSORIES

4 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
4 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
4 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
4 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
4 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
12 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
40 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
12 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
12 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
24 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
6 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
2 Adet / Pcs	ASI-ISP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock	
6 Adet / Pcs	ASI-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
2 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	

2'Lİ RAYDA 3 LÜ KANAT KESİM ÖLÇÜLERİ

3 SASHES CUTTING SIZE FOR DOUBLE RAIL FRAME



PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 02		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 02		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	6	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	6	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/3+37mm
5	4	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
6	6	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
7	6	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
8	2	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
8	1	LS60 43		3'LÜ KANAT ADAPTÖR PROFİLİ / Adapter Profile	FH-84mm
PVC	3	MO60-10		KENET PVC PROFİL / Central Locking PVC Profile	SH
PVC	2	MO60-08		YATAY KASA KANAL PVC /Horizontal PVC Channel Profile	FW
PVC	2	MO60-08		YATAY KASA KANAL PVC /Horizontal PVC Channel Profile	FH
	2	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm

CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES


KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm

FİTİLLER / GASKETS



MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	6x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	6x(G1+G2)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	3 x SH
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(4xFH) + (2xFW)
mt	INT2-02		KANAL FİTİLİ / Adapter Gasket	1xSH
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	6 x SH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	(6xSH)+(12xSW)

AKSESUARLAR / ACCESSORIES


3 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
3 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
3 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
3 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
4 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
12 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
40 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
12 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
24 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing	
4 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
2 Adet / Pcs	ASI-ISP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock	
6 Adet / Pcs	ASI-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
2 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	



4 LÜ KANAT KESİM ÖLÇÜLERİ
4 SLIDING SASHES CUTTING SIZE



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm





PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 04		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 04		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	8	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	8	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/4+26.6mm
5	1	LS60-41		ADAPTÖR PROFİLİ / Adapter Profile	LS60 41=SH-50mm
6	4	LS60-42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
7	8	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
8	8	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-158mm
8	3	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	4	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-08		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	SW
PVC	2	MO60-08		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	SH
	2	ASH-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm




FİTİLLER / GASKETS				
MIKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	8x(G1+G2)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	8x(G1+G2)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP60-05		KANAT FİTİLİ / Sash Gasket	2xSH
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(4xFH) +(2x FW)
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	(6xSH)+(16xSW)

AKSESUARLAR / ACCESSORIES				
4 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
4 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
4 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
4 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
4 Adet / Pcs	MO60-06G		ÜST HAVA KESİCİ / Central Sealing - Top	
2 Adet / Pcs	MO60-12		ADAPTÖR KAPAĞI / Adapter Cover	
16 Adet / Pcs	MO60-13		KANAT DENGESİME PLASTİĞİ / Sash Stabilization Spacer	
52 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
16 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
32 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
8 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
3 Adet / Pcs	ASH-SP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock	
9 Adet / Pcs	ASH-SP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
4 Adet / Pcs	ASH-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	

SABİTLİ KASADA 1 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
1 SLIDING SASH IN FIXED FRAME CUTTING SIZE






KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width	FGW=FW/2-74mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height	FGH=FH - 64mm



PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 04		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 04		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	2	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	2	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/2+11mm
5	1	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FW-43mm
6	1	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
7	1	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
8	1	LS60 31		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2 - 100mm
9	1	LS60 32		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2 - 100mm
10	1	LS60 31		YAN KAPAK PROFİLİ / Side Cover Profile	CH=FW - 88 mm
11	2	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH - 203mm
12	2	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW - 159mm
13	2	11_026		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FW-87mm
14	2	11_026		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/2-56,5mm
15	1	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	2	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm

FİTİLLER / GASKETS				
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	2 x SH
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xFH) + FW
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	4xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)+CH+xCW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	(2xSH)+(4xSW)
AKSESUARLAR / ACCESSORIES				
1 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
1 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
1 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
1 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
2 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
4 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
2 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
20 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
4 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
8 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
1 Adet / Pcs	ASI-ISP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock	
3 Adet / Pcs	ASI-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
1 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	

SABİTLİ KASADA 2 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
2 SLIDING SASH IN FIXED FRAME CUTTING SIZE


PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 04		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 04		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	4	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67mm
4	4	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/4+25,4mm
5	2	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FW-43mm
6	1	LS60 41		ADAPTÖR PROFİLİ / Adapter Profile	LS60 41=SH-50mm
7	2	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
8	2	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
9	1	LS60 31		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2-146mm
10	1	LS60 32		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2-146mm
11	4	11_026		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-203mm
12	4	11_026		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-159mm
13	4	11_026		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FW-87mm
14	4	11_026		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/4-40mm
15	1	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	4	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-84mm

FİTİLLER / GASKETS					
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions	
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	4x(G1+G2+G3+G4)	
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	4x(G1+G2+G3+G4)	
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH	
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2x FH) + FW	
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8xSH	
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2x FH)+(2x FW)+(2x CW)	
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	2xSH+8xSW	



AKSESUARLAR / ACCESSORIES					
2 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom		
2 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top		
2 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile		
2 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile		
4 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top		
2 Adet / Pcs	MO60-12		ADAPTÖR KAPAĞI / Adapter Cover		
8 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer		
4 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part		
32 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment		
8 Adet / Pcs	ASI-PB 1126 / ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin		
8 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint		
16 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint		
4 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller		
1 Adet / Pcs	ASH-ISP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock		
3 Adet / Pcs	ASH-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike		
2 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle		

CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)


KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width	GW=SW-172mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width	FGW=FW/4 - 57mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height	FGH=FW-64mm



HAREKETLİ KANADI DIŞARIDA OLAN MONORAİL SİSTEM
MONORAIL SYSTEM WITH SLIDING SASH OUTSIDE



CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)		
KOD / Code	TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width	GW=SW-172,06mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height	GH=SH-172,06mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width	FGW=FW/2-115,54mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height	FGH=FH-49,86mm



PROFİLLER / PROFILES

NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 08		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 08		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	2	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FW-67,14mm
4	2	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/2-56,56 mm
5	1	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FW-43mm
6	1	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
7	1	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
8	1	LS60 40		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2 - 32,3mm
9	1	LS60 40		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2 - 32,3mm
10	1	LS60 40		YAN KAPAK PROFİLİ / Side Cover Profile	CH=FW - 94,6mm
11	2	11_022		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH - 267,8mm
12	2	11_022		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW - 203,06mm
13	2	11_022		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FW-86,64mm
14	2	11_022		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/2-97,47mm
	2	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
0	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
0	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASI-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-72mm



FİTİLLER / GASKETS

MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	2x(G1+G2+G3+G4)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	2 x SH
mt	EP38-03		SABİT ÇİTA FİTİLİ / Fixed Frame Gasket	CW
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xFH) + FW
mt	EP60-03		KANAT ÜST FİTİLİ / Sash Gasket	2xSW
mt	KF 67-600		FİRÇA FİTİLİ / Brush Gasket - 6mm	4xSH
mt	KF 67-700		FİRÇA FİTİLİ / Brush Gasket - 7mm	(2xFH)+(2xFW)+CH+(2x CW)
mt	KF 67-1000		FİRÇA FİTİLİ / Brush Gasket - 10mm	(2xSH)+(4xSW)

AKSESUARLAR / ACCESSORIES

1 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
1 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
1 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
1 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
1 Adet / Pcs	MO60-05D		ALT HAVA KESİCİ / Central Sealing - Bottom	
1 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
4 Adet / Pcs	MO60-13		KANAT DENGESİME PLASTİĞİ / Sash Stabilization Spacer	
2 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
20 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
4 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
8 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
2 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
3 Adet / Pcs	ASI-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
3 Adet / Pcs	ASI-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
2 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	

HAREKETLİ KANADI DIŞARIDA KASADA 2 HAREKETLİ KANAT KESİM ÖLÇÜLERİ
MONORAIL SYSTEM WITH SLIDING SASH OUTSIDE
2 SLIDING SASH IN FIXED FRAME CUTTING SIZE



PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	LS60 08		DÜŞEY KASA PROFİLİ / Vertical Frame Profile	FH
2	2	LS60 08		YATAY KASA PROFİLİ / Horizontal Frame Profile	FW
3	4	LS60 11		DÜŞEY KANAT PROFİLİ / Vertical Sash Profile	SH=FH-67mm
4	4	LS60 11		YATAY KANAT PROFİLİ / Horizontal Sash Profile	SW=FW/4+77.7mm
5	2	LS60 11		ORTA KAYIT PROFİLİ / Transom Locking Profile	TH=FH-43mm
6	1	LS60 41		ADAPTÖR PROFİLİ / Adapter Profile	LS60 41=SH-50mm
7	2	LS60 42		KENET PROFİLİ / Central Locking Profile	LS40 42=SH
8	2	LS60 42		ORTA KAYIT KENET PROFİLİ / Transom Cover	FH-43mm
9	1	LS60 40		ÜST KAPAK PROFİLİ / Top Cover Profile	CW=FW/2-53.12mm
10	1	LS60 40		ALT KAPAK PROFİLİ / Bottom Cover Profile	CW=FW/2-53.12mm
11	4	11_022		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	G1=SH-202mm
12	4	11_022		YATAY CAM ÇİTASI / Horizontal Glazing Bead	G2=SW-167.5mm
13	4	11_022		SABİT DÜŞEY CAM ÇİTASI / Fixed Vertical Glazing Bead	G3=FH-87mm
14	4	11_022		SABİT YATAY CAM ÇİTASI / Fixed Horizontal Glazing Bead	G4=FW/4-91.12mm
15	1	LS60 44		İSPANYOLET KİLİTLEME KANAL PROFİLİ / Multi Lock Profile	SH - 500mm
PVC	4	MO60-10		KENET PVC PROFİLİ / Central Locking PVC Profile	SH
PVC	2	MO60-07		YATAY KASA KANAL PVC / Horizontal PVC Channel Profile	FW
PVC	2	MO60-07		DÜŞEY KASA KANAL PVC / Vertical PVC Channel Profile	FH
0	1	ASH-INR 01		ÇELİK RAY PROFİLİ / Steel Rail Profile	FW-73mm
CAM KESİM ÖLÇÜLERİ / GLASS CUTTING SIZES (24mm CAM İÇİN/ 24mm Glazing)					
KOD / Code	TANIMI / Description				KESİM ÖLÇÜSÜ / Cutting Dimensions
GW	HAREKETLİ KANAT CAM GENİŞLİK / Sash Glass Width				GW=SW-177.2mm
GH	HAREKETLİ KANAT CAM YÜKSEKLİK / Sash Glass Height				GH=SH-167.5mm
FGW	SABİT KISIM CAM GENİŞLİK / Fixed Glass Width				FGW=FW/4 - 99.5mm
FGH	SABİT KISIM CAM YÜKSEKLİK / Fixed Glass Height				FGH=FH-50mm

FİTİLLER / GASKETS				
MİKTAR / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
mt	EP1-01		DIŞ CAM FİTİLİ / Outer Glazing Gasket	4x(G1+G2+G3+G4)
mt	EP2-01		İÇ CAM FİTİLİ / Inner Glazing Gasket	4x(G1+G2+G3+G4)
mt	EP60-04		KENET FİTİLİ / Central Locking Gasket	4 x SH
mt	EP38-03		SABİT ÇİTA FİTİLİ / Fixed Frame Gasket	2xSH+8xSW
mt	EP38-02		KASA FİTİLİ / Frame Gasket	(2xFH) + FW
mt	KF 67-600		FİRÇA FİTİL / Brush Gasket - 6mm	8xSH
mt	KF 67-700		FİRÇA FİTİL / Brush Gasket - 7mm	(2xFH)+(2xFW)+(2xCW)
mt	KF 67-1000		FİRÇA FİTİL / Brush Gasket - 10mm	(8xSW+2XSH)
AKSESUARLAR / ACCESSORIES				
2 Adet / Pcs	MO60-01		ALT KENET KAPAĞI / Interlock Profile Cap-Bottom	
2 Adet / Pcs	MO60-02		ÜST KENET KAPAĞI / Interlock Profile Cap-Top	
2 Adet / Pcs	MO60-03		MO60-10 ALT KAPAK PROFİLİ / Bottom Cover Profile	
2 Adet / Pcs	MO60-04		MO60-10 ÜST KAPAK PROFİLİ / Top Cover Profile	
4 Adet / Pcs	MO60-06D		ÜST HAVA KESİCİ / Central Sealing - Top	
2 Adet / Pcs	MO60-12		ADAPTÖR KAPAĞI / Adapter Cover	
8 Adet / Pcs	MO60-13		KANAT DENGELEME PLASTİĞİ / Sash Stabilization Spacer	
4 Adet / Pcs	LS60-DB 3560		KANAT SABİTLEME PARÇASI / Sash Fixing Part	
32 Adet / Pcs	ASI-SB 19.1		KÖŞE GÖNYESİ / Corner Alignment	
8 Adet / Pcs	ASI-PB 1126 ASI-KT 1126		KÖŞE TAKOZU veya PİMLİ BAĞLANTI / Corner Joint Pres or Pin	
8 Adet / Pcs	ASI-KT 1429		KÖŞE TAKOZU / Pres Corner Joint	
16 Adet / Pcs	ASI-KT 2307		KÖŞE TAKOZU / Pres Corner Joint	
4 Adet / Pcs	ASI-SR 04		İKİLİ RULMAN / Double Roller	
1 Adet / Pcs	ASI-ISP 15.3		İSPANYOLET KİLİTLEME / Multi Point Lock	
3 Adet / Pcs	ASI-ISP K03		İSPANYOLET KİLİT KARŞILIĞI / Multi Point Strike	
2 Adet / Pcs	ASI-WH 002		İSPANYOLET KİLİTLEME KOL / Window Handle	

