



**BORU PROFİLLER**  
PIPE PROFILES




NO	ÇAP / Diameter Ø D (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	Ø10	-	1,5	01-000100-15	0,110
002	Ø12	-	1	01-000120-10	0,094
003	Ø15	-	1,2	01-000150-12	0,140
004	Ø15	-	1,5	01-000150-15	0,173
005	Ø15,8	-	1	01-000158-10	0,125
006	Ø15,8	-	5,5	01-000158-55	0,481
007	Ø16	-	1	01-000160-10	0,127
008	Ø16	-	1,3	01-000160-13	0,163
009	Ø16	-	1,5	01-000160-15	0,185
010	Ø16	-	1,8	01-000160-18	0,216
011	Ø16	-	2	01-000160-20	0,238
012	Ø16	-	4	01-000160-40	0,409
013	Ø16	-	5	01-000160-50	0,468
014	Ø18	-	1,1	01-018016-11	0,149
015	Ø18,5	-	1	01-000185-10	0,149
016	Ø19	-	1	01-000190-10	0,153
017	Ø19	-	1,2	01-000190-12	0,182
018	Ø19	-	1,3	01-000190-13	0,194
019	Ø19,8	-	3,8	01-000198-38	0,518
020	Ø20	-	2	01-000200-20	0,306
021	Ø20	-	3	01-000200-30	0,434
022	Ø20	-	4	01-000200-40	0,545
023	Ø21	-	0,9	01-000210-09	0,154
024	Ø21,8	-	7,4	01-000218-74	0,905
025	Ø22	-	1,5	01-000220-15	0,262
026	Ø24	-	3	01-000240-30	0,536
027	Ø24	-	5	01-000240-50	0,808
028	Ø25	-	0,8	01-000250-08	0,165
029	Ø25	-	1,5	01-000250-15	0,300
030	Ø25	-	9	01-000250-90	1,220
031	Ø26	-	1	01-000260-10	0,213
032	Ø28	-	5	01-000280-50	0,975
033	Ø29,8	-	9,9	01-000298-99	1,677
034	Ø30	-	1,5	01-000300-15	0,362
035	Ø30	-	2	01-000300-20	0,475
036	Ø30	-	2,2	01-000300-22	0,520
037	Ø30	-	2,5	01-000300-25	0,585
038	Ø30	-	3	01-000300-30	0,692
039	Ø35	-	1,5	01-000350-15	0,427
040	Ø35	-	1,8	01-000350-18	0,508
041	Ø35	-	2	01-000350-20	0,561
042	Ø35	-	2,5	01-000350-25	0,691
043	Ø35,5	-	14,5	01-000355-145	2,593
044	Ø40	-	1	01-000400-10	0,333
045	Ø40	-	1,7	01-000400-17	0,556
046	Ø40	-	2	01-000400-20	0,645

**BORU PROFİLLER**  
PIPE PROFILES




NO	ÇAP / Diameter Ø D (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
047	Ø40	-	2,5	01-000400-25	0,799
048	Ø40	-	5	01-000400-50	1,485
049	Ø40,2	-	15,1	01-402010-00	3,228
050	Ø45	-	1,5	01-000450-15	0,556
051	Ø45	-	17,5	01-000450-175	4,082
052	Ø49,6	-	20,1	01-496094-00	5,049
053	Ø50	-	1,2	01-000500-12	0,499
054	Ø50	-	1,3	01-000500-13	0,539
055	Ø50	-	1,4	01-000500-14	0,580
056	Ø50	-	1,5	01-000500-15	0,621
057	Ø50	-	1,6	01-000500-16	0,665
058	Ø50	-	1,8	01-000500-18	0,740
059	Ø50	-	2	01-000500-20	0,818
060	Ø50	-	2,5	01-000500-25	1,011
061	Ø50	-	4	01-000500-40	1,561
062	Ø50	-	4,5	01-000500-45	1,743
063	Ø50	-	5	01-000500-50	1,909
064	Ø55,3	-	2,5	01-000553-25	1,125
065	Ø60	-	1,3	01-000600-13	0,648
066	Ø60	-	1,5	01-000600-15	0,745
067	Ø60	-	2	01-000600-20	0,983
068	Ø60	-	2,5	01-000600-25	1,220
069	Ø64	-	2	01-000640-20	1,053
070	Ø66	-	3	01-100660-30	1,379
071	Ø71,5	-	15,38	01-000715-15	7,320
072	Ø75	-	2,5	01-000750-25	1,543
073	Ø80	-	2	01-000800-20	1,328
074	Ø80	-	3	01-000800-30	1,960
075	Ø81	-	15	01-000810-15	8,397
076	Ø82	-	4	01-000820-40	2,656
077	Ø90	-	3	01-000900-30	2,214
078	Ø106	-	3	01-001060-30	2,622
079	Ø108	-	3	01-000108-30	2,673

**DOLU BORU PROFİLLER**  
FILLED PIPE PROFILES


NO	ÇAP / Diameter Ø D (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	Ø10	-	-	07-000100-00	0,213
002	Ø14	-	-	07-000140-00	0,416
003	Ø16	-	-	07-000160-00	0,543
004	Ø20	-	-	07-000200-00	0,848
005	Ø21,8	-	-	07-000218-00	1,013
006	Ø23,3	-	-	07-000233-00	1,150
007	Ø24	-	-	07-000240-00	1,228
008	Ø24,8	-	-	07-000248-00	1,304
009	Ø25	-	-	07-000250-00	1,326
010	Ø30	-	-	07-000300-00	1,909
011	Ø35	-	-	07-000350-00	2,597
012	Ø40	-	-	07-000400-00	3,394
013	Ø42	-	-	07-000420-00	3,740
014	Ø45	-	-	07-000450-00	4,293
015	Ø48	-	-	07-000480-00	4,887
016	Ø50	-	-	07-000500-00	5,300
017	Ø55	-	-	07-000550-00	6,415
018	Ø60	-	-	07-000600-00	7,633
019	Ø70	-	-	07-000700-00	10,681
020	Ø86,5	-	-	07-000865-00	15,927

**KUTU PROFİLLER**  
BOX PROFILES




NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	11	11	1	02-011011-10	0,108
002	12	12	2	02-012012-20R	0,211
003	13,8	13,8	1,3	02-014014-13R	0,177
004	13,8	13,8	1,5	02-014014-15R	0,197
005	13,8	13,8	1,9	02-014014-20R	0,244
006	14	12	1,2	02-014012-12	0,154
007	14	14	2,3	02-014014-23	0,293
008	15	10	1,5	02-015010-15	0,178
009	18,2	18,2	0,65	02-018018-65	0,124
010	20	11	1,5	02-020011-15	0,228
011	20	15	1	02-020015-10	0,178
012	20	20	1,5	02-020020-15	0,300
013	20	20	2	02-020020-20	0,389
014	24,8	13,8	2	10300	0,375
015	25	17	1	02-025017-10	0,217
016	25	17	1,2	02-025017-12	0,257
017	25	17	1,5	02-025017-15	0,318
018	25	20	1,5	02-025020-15	0,341
019	25	25	1,5	02-025025-15	0,382
020	25	25	1,8	02-025025-18R	0,448
021	26	16	1,5	02-026016-15	0,314
022	28,8	18,6	1,1	02-029019-11	0,255
023	30	16	2	02-030016-20	0,454
024	30	20	1,3	02-030020-13	0,332
025	30	20	2,5	02-030020-25	0,608
026	30	30	1,4	02-030030-14	0,437
027	30	30	2	02-030030-20	0,607
028	30	30	2,5	02-030030-25	0,743
029	30	30	3	02-030030-30	0,880
030	40	11	1,5	02-040011-15	0,389
031	40	15	1,2	2438R	0,337
032	40	20	1	02-040020-10	0,314
033	40	20	1,5	02-040020-15	0,462
034	40	20	2	02-040020-20	0,605
035	40	30	1	02-040030-10	0,369
036	40	30	1,2	02-040030-12	0,439
037	40	30	2	02-040030-20	0,713
038	40	30	4	02-040030-40	1,344
039	40	32	1,3	02-040032-13	0,491
040	40	40	1	02-040040-10	0,423
041	40	40	1,8	02-040040-18	0,746
042	40	40	2	02-040040-20	0,824
043	44	27	1	02-044027-10	0,373
044	50	11	1,5	02-050011-15	0,470
045	50	12	1,3	02-050012-13	0,417
046	50	16	2	02-050016-20	0,670
047	50	20	1,5	02-050020-15	0,543

**KUTU PROFİLLER**  
BOX PROFILES




NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
048	50	25	2	02-050025-20	0,767
049	50	30	1,2	02-050030-12	0,502
050	50	30	2	02-050030-20	0,824
051	50	40	1	02-050040-10	0,477
052	50	40	1,6	02-050040-16	0,754
053	50	40	3	02-050040-30	1,369
054	50	50	2	02-050050-20	1,041
055	50	50	4	02-050050-40	1,987
056	60	20	0,9	02-060020-09	0,382
057	60	20	1,4	02-060020-14	0,585
058	60	20	2	02-060020-20	0,821
059	60	40	1,3	02-060040-13	0,686
060	60	40	1,5	02-060040-15	0,786
061	60	40	2	02-060040-20	1,037
062	60	40	3	02-060040-30	1,532
063	60	60	1,3	02-060060-13	0,825
064	65	25	0,8	02-065025-08	0,382
065	68	28	0,8	02-068028-08	0,330
066	70	32	1,3	02-070032-13	0,702
067	71	71	15	02-071071-15R	8,924
068	74	74	3	02-074074-30	2,295
069	80	10	1,1	02-080010-11	0,523
070	80	10	1,5	02-080010-15	0,708
071	80	20	1,2	02-080020-12	0,634
072	80	30	1,9	02-080030-19	1,050
073	80	40	1,5	02-080040-15	0,951
074	80	40	1,8	02-080040-18	1,131
075	80	40	2	02-080040-20	1,243
076	80	40	3	02-080040-30	1,847
077	80	80	1,8	02-080080-18	1,520
078	80	80	2,7	02-080080-27	2,255
079	80	80	3	02-080080-30	2,495
080	90	10	1,1	02-09010-11	0,583
081	95	50	1,6	02-095050-16	1,230
082	100	20	1,5	02-100020-15	0,951
083	100	30	1,5	02-100030-15	1,036
084	100	40	4	02-100040-40	2,851
085	100	50	1,8	02-100050-18	1,423
086	100	100	1,8	02-100100-18	1,916
087	100	50	2,5	10030	1,958
088	104	54	12	02-104054-12R	8,324
089	120	20	1,5	02-120020-15	1,110
090	120	40	2	02-120040-20	1,691
091	120	80	2	02-120080-20	2,117
092	150	50	1,6	02-150050-16	1,701
093	150	50	2,5	10031	2,635
094	150	100	2,2	02-150100-22	2,908
095	150	150	3	02-150150-30	4,763


**KUTU PROFİLLER**  
BOX PROFILES

NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
096	150	150	4	02-150150-40	6,307
097	170	35	1,6	02-170035-16	1,744
098	200	50	2	02-200050-20	2,657
099	200	80	3	10032	4,440
100	200	100	2	02-200100-20	3,198

**L-PROFİLLER**  
L-PROFILES




NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	10	10	1,2	03-010010-12	0,061
002	15	15	1	03-015015-10	0,078
003	15	15	2	03-015015-20	0,152
004	20	10	1,2	03-020010-12	0,095
005	20	10	1,5	03-020010-15R	0,117
006	20	10	2	03-020010-20	0,151
007	20	15	1,5	03-020015-15	0,135
008	20	15	2	03-020015-20	0,178
009	20	20	1,2	03-020020-12	0,126
010	20	20	2	03-020020-20	0,205
011	22	14	2,3	03-022014-23	0,122
012	25	20	2	03-025020-20	0,232
013	25	25	1,2	03-025025-12	0,158
014	25	25	1,3	03-025025-13	0,171
015	25	25	1,5	03-025025-15	0,197
016	25	25	2	03-025025-20	0,271
017	25	25	2,3	03-025025-23	0,297
018	30	15	1,2	03-030015-12	0,143
019	30	15	1,5	03-030015-15	0,176
020	30	20	1,2	03-030020-12	0,159
021	30	20	2	03-030020-20	0,259
022	30	25	2	03-030025-20	0,286
023	30	30	1,2	03-030030-12	0,191
024	30	30	1,5	03-030030-15	0,240
025	35	35	2,5	03-035035-25	0,457
026	40	7	2	03-040007-20	0,243
027	40	9	2	03-040009-20	0,255
028	40	15	2	03-040015-20	0,286
029	40	20	1,2	03-040020-12	0,191
030	40	20	2	03-040020-20	0,313
031	40	30	1,2	03-040030-12	0,225
032	40	30	2	03-040030-20	0,367
033	40	40	1,2	03-040040-12	0,256
034	40	40	2	03-040040-20R	0,421
035	40	40	4	03-040040-40	0,823
036	45	45	3	03-045045-30	0,707
037	50	11,5	3	03-050011-30	0,477
038	50	20	1,1	03-050020-11	0,205
039	50	20	2	03-050020-20	0,367
040	50	25	3	03-050025-30	0,585
041	50	40	2	03-050040-20	0,475
042	50	50	1,5	03-050050-15	0,400
043	50	50	2	03-050050-20	0,531
044	50	50	4	03-050050-40	1,037
045	55	53	3	03-055053-30	0,853
046	60	20	1,3	03-060020-13	0,277

**L-PROFİLLER**  
L-FILES


NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
047	60	20	2	03-060020-20	0,423
048	60	40	1,3	03-060040-13	0,347
049	70	20	2	03-070020-20	0,475
050	80	20	1,3	03-080020-13	0,347
051	80	20	1,5	03-080020-15	0,400
052	80	40	1,5	03-080040-15	0,441
053	84	8	1,8	03-084008-18	0,432
054	90	20	1,5	03-090020-15	0,441
055	96	84	12	03-096084-20	7,258
056	100	20	1,3	03-100020-13	0,418
057	100	20	1,5	03-100020-15	0,481
058	100	20	2	03-100020-20	0,639
059	100	50	3	03-100050-30	1,191
060	120	20	1,2	03-120020-12	0,453
061	120	50	3	03-120050-30	1,353
062	150	15	1,8	03-150015-18	0,797
063	150	20	1,4	03-150020-14	0,639
064	152	48,5	2	03-152048-20	1,083




**U-PROFİLLER**  
U-PROFILES



NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness T (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	7	13	1,5	06-007013-15R	0,12
002	8	8	1	06-008008-10	0,059
003	9	12	1,4	06-012009-14	0,114
004	10	10	2	06-010010-20	0,141
005	12,5	12,5	1,2	06-012012-12	0,113
006	12,5	16,2	1,3	06-016012-13	0,146
007	13,5	17	1	06-017014-10	0,124
008	14	30	1,2	06-030014-12	0,232
009	15	15	2	06-015015-20	0,222
010	16	20	2	06-020016-20	0,281
011	17	15	0,8	06-015017-08	0,098
012	17	17	1	06-017017-10	0,132
013	17,5	23	1,1	06-023017-11	0,185
014	18	20	1,2	06-020018-12	0,182
015	20	20	1,5	06-020020-15	0,233
016	20	20	2	06-020020-20	0,304
017	20	30	2	06-030020-20	0,410
018	22	20	1	06-022020-10	0,162
019	23,8	20	1,1	06-020024-11R	0,181
020	26	14	2	06-026014-20R	0,265
021	26	20	1	06-026020-10	0,173
022	28	28,5	1,25	06-028028-13R	0,275
023	30	12	1,8	06-030012-18R	0,240
024	30	30	2	06-030030-20	0,464
025	38	15	1,8	06-038015-18R	0,308
026	38,6	32	2	2478	0,537
027	40	20	2	06-040020-20	0,412
028	40	30	2	06-040030-20R	0,516
029	40	40	4	06-040040-40R	1,195
030	45	20	2	06-045020-20	0,437
031	46	25	2,5	06-046025-25	0,618
032	50	50	4	06-050050-40	1,540
033	100	75	7	06-100075-70R	4,591


**T-PROFİLLER**  
T-PROFILES

NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	10	8	1,2	04-018080-12	0,054
002	10	8,2	1,2	04-010080-12	0,054
003	20	20	1,2	04-020020-12	0,127
004	25	25	1,2	04-025025-12	0,158
005	30	30	1,2	04-030030-12	0,191
006	40	40	1,2	04-040040-12	0,257
007	50	50	1,8	04-050050-18	0,478
008	80	50	5	04-080050-50	1,688

**ASİMETRİK T-PROFİLLER**  
ASYMMETRICAL T-PROFILES

NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	40	20,2	1,1	05-040020-11	0,176

**LAMA PROFİLLER**  
BLADE PROFILES



NO	GENİŞLİK / Width (mm)	YÜKSEKLİK / Height L (mm)	KALINLIK / Thickness (mm)	PROFİL KODU / Profile Code	AĞIRLIK / Weight (kg/mt)
001	12,5	-	3	09-012030-00	0,100
002	15	-	1	09-015010-00	0,041
003	15	-	3	09-015030-00	0,122
004	15,5	-	6	09-015560-00	0,407
005	16	-	2,5	09-016025-00	0,108
006	19,5	-	4,4	09-019544-00	0,233
007	20	-	1,5	09-020015-00	0,081
008	25	-	2	2387	0,136
009	30	-	10	09-030010-00	0,813
010	35	-	5	09-035050-00	0,474
011	40	-	1,5	09-040015-00	0,163
012	40	-	2	09-040002-00	0,216
013	40	-	4	09-040004-00	0,434
014	40	-	4	09-040004-R2	0,424
015	40	-	5	09-040050-00	0,540
016	49	-	1,9	09-049019-00	0,251
017	50	-	6	09-050006-00	0,810
018	50	-	10	09-050010-00	1,355
019	60	-	1,5	09-060015-00	0,244
020	60	-	10	09-060010-00	1,620
021	77	-	5	09-077005-R5	1,026
022	80	-	1,5	09-080015-00	0,328
023	80	-	6	09-080006-00	1,296
024	80	-	10	09-080010-00	2,160
025	100	-	1	09-100010-00	0,271
026	100	-	1,5	09-100015-00	0,407
027	100	-	9	09-100090-00	2,430
028	120	-	1,5	09-120015-00	0,488
029	160	-	6	09-160006-R6	2,570
030	200	-	6	09-200006-R6	3,230
031	250	-	30	09-250300-00	20,325